

Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 1 of 17

GUANGDONG XINYU TECHNOLOGY INDUSTRIAL CO.,LTD

LAIMEI INDUSTRIAL ZONE, CHENGHAI DISTRICT, SHANTOU, GUANGDONG

The following samples were submitted and identified by/on behalf of the client as:

3338 1:14 FORD F150

3708 1:18 FERRARI LAFERRARI FXXK

3709 1:18 FERRARI 488 GTB

3810 1:18 LAMBORGHINI CENTENARIO RC12-12AA 1:12 FERRARI LAFERRARI

3707 1:12 FERRARI 488 GTB

Labeled Age Grading AGES 8+

Requested Age Grading

Age Group Assessed by SGS As Per Age **OVER 3 YEARS**

Guideline

Age Group Applied in Testing **OVER 3 YEARS** Sample Receiving Date JUN 18, 2019

Testing Period JUN 18, 2019 TO JUN 25, 2019





Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 2 of 17

Test	Requested	Conclusion
1.	For compliance with the European standard on Safety of toys:-	
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2:2011+A1:2014 - Safety of toys - Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 – EN 71-3:2019 – Migration of certain elements (All conclusive testing)	PASS

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Qu Ping, Kiky Dept. Manager Liu Junjie, Tony Section Manager







Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 3 of 17

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	Description	Result
4	General requirements	
4.1	Material cleanliness	<u>Pass</u>
4.7	Edges	<u>Pass</u>
4.8	Points and metallic wires	<u>Pass</u>
4.10	Parts moving against each other:	
	4.10.2 Driving mechanisms	<u>Pass</u>
7	Warnings, markings and instructions for use	
7.1	General Requirements	Pass
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects:	
	a) Emphasising the warning	
	b) Contrast, background and colours	
	c) Reflecting surfaces and obscuring material	
	d) Font type	
	e) Font size	
	f) Logical direction of text	
	For more details, see EN 71-1.	
7.2	Toys not intended for children under 36 months (Remark: The toy contains small parts. It is acceptable because appropriate warning is found on packaging.)	<u>Pass</u> <u>See Remark</u>

Only English warnings were checked for the clause 7. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized alteration, forgery or falsification of the content of the company. Any unauthorized alteration, forgery or falsification of the content of the company and the



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 4 of 17

EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u> <u>Description</u>
4.1 <u>General requirements</u>

Result Pass

Type of gas: Butane gas used in the test burner

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	
CE mark	Present	Toy & Packaging
Importer's Name & Address	Absent. See note 3	
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Packaging

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues efficient therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not sonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 5 of 17

Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 - EN 71-3:2019 - Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis and organic tin was analyzed by GC-

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			1	2	3	-	-
Mass of trace amount		(mg)			21.0		
Soluble Aluminium	(AI)	(mg/kg)	408	737	172	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	0.72	0.60	0.26	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000





Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 6 of 17

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.	Specimen No.				6		
Mass of trace amount		(mg)	46.3	37.8			
Soluble Aluminium	(AI)	(mg/kg)	14020	ND	144	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	0.34	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe beverleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx statement of islability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Cilent's instructions, if any, The Company's sole responsibility is to its Cilent and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the full lest extent of the law. Unless otherwise stated the esults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 7 of 17

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			7	8	9		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe beverleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx statement of drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the south in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: to check the authenticity of testing / inspection report & certificate, please contact us at telephone:(66-755) 630/1443, or email: CN Doccheck@sgs.com



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 8 of 17

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			10	11	12		
Mass of trace amount		(mg)	16.5		59.3		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000





Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 9 of 17

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			13	14	15		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is a drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 10 of 17

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			16	17	18		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	0.47	0.68	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	18.6	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe beverleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx statement of islability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Cilent's instructions, if any, The Company's sole responsibility is to its Cilent and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the full lest extent of the law. Unless otherwise stated the esults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 11 of 17

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			19	20	21		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed vereined, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Its drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's sifindings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the soults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 12 of 17

Test Item(s)	Test Item(s) Specimen No.				Result(s)				
Specimen No.					24				
Mass of trace amount		(mg)							
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000		
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560		
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47		
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750		
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000		
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17		
Soluble Chromium	(Cr)	(mg/kg)	ND	0.28	0.22	0.15			
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460		
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053		
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130		
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700		
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23		
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000		
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94		
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930		
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460		
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000		
Soluble Tin	(Sn)	(mg/kg)	ND	ND	4.1	3.0	180000		
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12		
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe beverleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.aspx attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the souts the south of the company in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 13 of 17

Test Item(s)				Result(s)	MDL	Permissible Limit	
Specimen No.			25	26	27		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	ND	ND	0.51	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	4.4	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions, aspx and, for electronic format documents, ubject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Its disparsable the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of ilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ansaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the soults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 14 of 17

Test Item(s)			Result(s)			MDL	Permissible Limit
Specimen No.			28	29	30		-
Mass of trace amount		(mg)		59.7	22.7		
Soluble Aluminium	(AI)	(mg/kg)	ND	5517	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	ND	0.21	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000

Specimen Description:

- 1. Dark grey coating (Bodywork, wheel)
- 2. Grey coating (Top)
- 3. Yellow coating (Pattern)
- 4. Silvery coating (Wheel, pattern, exhaust pipe)
- 5. Multi-color printed transparent plastic label (Sticker)
- 6. Laminated paper label w/ multi-color printing (Sticker)
- 7. Pale grey plastic (Bodywork)
- 8. Black plastic (Window, tail, chassis, battery cover, wheel, body, remote control)
- 9. Black plastic (Head, tail, mirror, top)
- 10. Transparent plastic label w/ silvery printing (Mirror)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is a drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 15 of 17

Specimen Description:

- 11. Transparent plastic (Light)
- 12. Black plastic (Small switch)
- 13. Off-white plastic (Joint)
- 14. Translucent dry glue (Head)
- 15. Black soft plastic (Tyre)
- 16. Bright black coating (Head, top, pattern, window)
- 17. Matt-black coating (Window, pattern, tail)
- 18. Red plastic (Bodywork)
- 19. Red plastic (Mirror)
- 20. Translucent white plastic (Window)
- 21. Translucent white plastic (Exhaust pipe)
- 22. Black plastic (Big switch)
- 23. Dull silvery printed transparent adhesive plastic tape (Head)
- 24. Black plastic (Heat shrink tube)
- 25. Black plastic (Wire jacket)
- 26. Red plastic (Wire jacket)
- 27. Dark red coating (Mirror, pattern, spring, wheel, light, body)
- 28. White plastic (Mirror)
- 29. Bright silvery coating (Bodywork)
- 30. Translucent red plastic (LED)

Note: - mg/kg = milligram per kilogram

- mg = milligram
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm
- As received, test portion of white, green, bright red, golden, blue coating (pattern), red coating (exhaust pipe) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN 71-3:2019.

N.B.: - Only applicable clauses were shown.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ngs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ngs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only). The content of the company and t

1443, or email: CN.Doccheck@sgs.com \$SSBbj_ho_4_largban hdushtil Phin, Net 03, Phan Pack Barlian (Longsang District, Shenchen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国-深圳·龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 16 of 17







Test Report No.: T51910251883TY Date: JUN 25, 2019 Page 17 of 17



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unliawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for Jodays only.

 1443, or email: CN. Doccheck@sgs.com

 SSS Bidg, No. 4, Jarghao Industrial Park, No. 430, Jihua Road, Bartian, Longsang District, Sherzhen, China 518129
 t (86–755) 25328888
 f (86–755) 83106190
 www.sgsgroup.com.cn

 中国・深圳・龙岗区坂田吉华路430号江瀬工业園4株SGS大楼
 邮線: 518129
 t (86–755) 25328888
 f (86–755) 83106190
 e sgs.china@sgs.com