

**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 1 of 11

GUANGDONG XINYU TECHNOLOGY INDUSTRIAL CO.,LTD LAIMEI INDUSTRIAL ZONE,CHENGHAI DISTRICT, SHANTOU, GUANGDONG

The following samples were submitted and identified by/on behalf of the client as:

1:14 BIG FOOT RACER

Style No.: XQ-3930Item No.: XQ-3930Labeled Age Grading: AGES 8+

Requested Age Grading : 8+

Age Group Assessed by SGS As Per Age : OVER 3 YEARS

Guideline

Age Group Applied in Testing : OVER 3 YEARS Sample Receiving Date : JAN 06, 2020

Testing Period : JAN 06, 2020 TO JAN 17, 2020



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agox and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.agox">http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.agox</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1443, or email: CN.Doccheck@aga.com SSB始th, N. 4, Jarqhao Industriel Part, No. 430, Jhua Road, Barlian Longgang District, Shenchen, China 518129 t (88-755) 25328888 f (88-755) 83106190 www.s.gsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (88-755) 25328888 f (86-755) 83106190 e sgs.ccima@sgs.ccm



**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 2 of 11

Test	Conclusion	
1.	For compliance with the European standard on Safety of toys:-	
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 – EN 71-3:2019 – Migration of certain elements (All conclusive testing)	PASS

\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*\*

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Liu Junjie, Tony Section Manager Qu Ping, Kiky Dept. Manager







**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 3 of 11

Results:

## **EUROPEAN STANDARD ON SAFETY OF TOYS**

## EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

#### Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4	General requirements	
4.1	Material cleanliness	<u>Pass</u>
4.7	Edges	<u>Pass</u>
4.8	Points and metallic wires	<u>Pass</u>
4.10	Parts moving against each other:	
	4.10.2 Driving mechanisms	<u>Pass</u>
7	Warnings, markings and instructions for use	
7.1	General Requirements	<u>Pass</u>
	Note: Please note that for assessing the visibility and legibility of warnings,	
	CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects:	
	a) Emphasising the warning	
	,	
	c) Reflecting surfaces and obscuring material	
	d) Font type	
	e) Font size	
	f) Logical direction of text	
	For more details, see EN 71-1.	
7.2	Toys not intended for children under 36 months	<u>Pass</u>
	(Remark: The toy contains small parts. It is acceptable because appropriate warning is found on packaging.)	See Remark

Only English warnings were checked for the clause 7. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T52010210208TY

Date: JAN 17, 2020

Page 4 of 11

#### EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u> <u>Description</u> 4.1 General requirements Result

Pass

Type of gas: Butane gas used in the test burner

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

## Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	
CE mark	Present	Toy & Packaging
Importer's Name & Address	Present	Packaging
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Packaging

#### Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not sonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 5 of 11

# <u>Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 – EN 71-3:2019 – Migration of certain elements</u>

#### Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis / LC-ICP-MS and organic tin was analyzed by GC-MS.

Test Item(s)		Result(s)			Permissible Limit		
Specimen No.			1	2	3		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	1.27	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	1.27	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	26	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions\_aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issued effined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 6 of 11

Test Item(s)		Result(s)			Permissible Limit		
Specimen No.			4	5	6		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	325	40389	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.49	0.60	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 7 of 11

Test Item(s)	Result(s)			MDL	Permissible Limit		
Specimen No.			7	8	9		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	1.55	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	1.55	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	74	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 8 of 11

Test Item(s)		Result(s)			Permissible Limit		
Specimen No.			10	11	12		
Mass of trace amount		(mg)			15.8		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 9 of 11

Test Item(s)			Resu	ılt(s)	MDL	Permissible Limit
Specimen No.			13	14		
Mass of trace amount		(mg)				
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 10 of 11

#### **Specimen Description:**

- 1. Green coating (Wheel)
- 2. Black plastic (Bodywork, chassis, wheel)
- 3. Black plastic (Carriage)
- 4. Laminated paper label w/ multi-color printing (Sticker)
- 5. Silvery coating (Head)
- 6. Transparent plastic (Light)
- 7. Black plastic (Switch)
- 8. Red coating (Light)
- 9. Black soft plastic (Rearview mirror)
- 10. Black plastic (Remote control)
- 11. Black plastic (Rocker)
- 12. Transparent red plastic (LED)
- 13. Bright black soft plastic (Tyre)
- 14. Black plastic (Pointer)

Note: - mg/kg = milligram per kilogram

- mg = milligram
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm
- + Soluble Chromium is not restricted by EN71-3:2019, results shown only for reference

N.B.: - Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: T52010210208TY Date: JAN 17, 2020 Page 11 of 11

## Sample Photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

 1443, or email: CN.Doccheck@sgs.com

 SSSBidy, No. 4, Janghao Industrial Park, No. 430, Jimaa Road, Bardian, Langgang District, Shenzhen, China 518129
 t (86-755) 25328888
 f (86-755) 83106190
 www.sgsgroup.com.cn

 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼
 邮编: 518129
 t (86-755) 25328888
 f (86-755) 83106190
 e sgs.china@sgs.com